

# **Georgetown Charter Township**

1515 Baldwin St., Jenison, MI 49428 Township Board Meeting Agenda July 12, 2021, 7:00 p.m.

1	(,, )		$\sim$	<i>(</i> )	ra	$\sim$	r
	Cal	ш	ı ()	v	w	н.	н

- 2. Prayer For Guidance
  - 2.I. Jim Wierenga
- 3. Pledge Of Allegiance To The Flag
- 4. Roll Call
- 5. Approval Of Agenda
- 6. Communications, Letters And Reports Received For Information
  - 6.I. May 2021 Sheriff's Report

Documents:

MAY 2021 SHERIFF REPORT.PDF

6.II. June 14, 2021 Utilities Committee Meeting Minutes

Documents:

UC210614MINUTES.PDF

6.III. June 16, 2021 Planning Commission Meeting Minutes

Documents:

PCM210616.PDF

6.IV. Balance Sheet & GL Report

Documents:

210531BALANCESHEET.PDF 210531GLREPORT.PDF

## 6.V. Katherine Henry Resignation Email

#### Documents:

#### KATHERINE HENRY RESIGNATION.PDF

- 7. Public Comments For Action Items Remaining On The Agenda (Maximum Of Three Minutes Per Person)
- 8. Consent Agenda
  - 8.I. Approval Of The Minutes Of The Previous Meeting
    - 8.I.i. June 14, 2021 Township Board Meeting Minutes

Documents:

TBM210614.PDF

8.II. Approval Of The Bills

8.II.i. Bills

Documents:

210618BILLS.PDF 210623VISABILLS.PDF 210630UTILITYBILLS.PDF 210702BILLS.PDF

8.III. Approval Of The Final Plat Of Sugar Maple Estates

Documents:

APPLICATION FOR FINAL PLAT.PDF SUGAR MAPLE ESTATES - CERTIFIED TRUE COPY.PDF OCWRC DECLARATON OF USE RESTRICTIONS 6-14-21.PDF

8.IV. Approval Of The Final Preliminary (Construction) Plat Of Lowing Woods No. 12.

#### Documents:

APPLICATION.PDF
LOWING WOODS NO. 12 PLAT.PDF
ROAD COMMISSION LETTER.PDF
WATER RESOURCES COMMISSIONER LETTER.PDF
SCHULTZ LAND AND WATER LETTER.PDF
COUNTY PLAT BOARD LETTER.PDF
SIDEWALK COMPLIANCE LETTER.PDF
STREET LIGHT PETITION.PDF

8.V. Approval Of The Layout Of The Preliminary Plat Of Schepers Farm, Part Of P.P. # 70-14-07-400-019, Located At 8100 42nd Ave., Zoned Low Density Residential (LDR), Georgetown Township, Ottawa County, Michigan, As Recommended By The Planning Commission.

Documents:

SCHEPERS FARM - SITE LAYOUT PLAN.PDF SCHEPERS FARM PLAT STAFF REPORT.PDF SCHEPERS FARM - APPLICATION.PDF SCHEPERS FARM - SIDEWALK COMPLIANCE LETTER.PDF SCHEPERS FARM - STREET LIGHT PETITION.PDF

8.VI. Approval Of The Bauer Road Pump Station Study And The Pump Station Meter Analysis Quote, As Recommended By The Utilities Committee.

Documents:

2021-06-11 GCT METERS FOR PUMP STATIONS AND BAUER PS ANALYSIS QUOTE.PDF

9. Hidden Lakes Cost Sharing Request

Motion: To approve a cost sharing reimbursement to the developer, in the amount of \$80,000 with half to be covered by Blendon Township, and the payment is to be made when the lift station is completed and in service, as recommended by the Utilities Committee.

Documents:

### ENGINEER NOTES HIDDEN LAKES COST SHARING.PDF

10. Sidewalk Waiver Request For Parkside Auto Sales Located At 2120 Chicago Dr.

Motion: To deny the Sidewalk Waiver Request from Parkside Auto Sales, as recommended by the Utilities Committee.

Note: The applicant is requesting a Special Land Use Permit for vehicle repair which includes site plan approval. Various improvements are proposed for the property. Site plan approval triggers the requirement for the installation of sidewalk.

Documents:

PARKWAY AUTO SITE PLAN 5-28-21.PDF SIDEWALK WAIVER APPLICATION.PDF

11. Additional Costs For Playground Play Area Re-Surfacing

Documents:

ADDITIONAL COSTS RELATED TO PLAY AREA RE-SURFACING.PDF 8TH AVE DROP TEST RESULTS.PDF

# MAPLEWOOD DROP TEST RESULTS.PDF ROSEWOOD DROP TEST RESULTS.PDF

12. Resolution For The Wyoming Water Contract

Documents:

WYOMING WATER - GEORGETOWN.PDF RESOLUTION 4824-5604-2202 V1 RES REQUESTING REFUNDING GEORGETOWN.PDF NOTICE 4851-9351-0633 V1 NOTICE OF REFERENDUM - GEORGETOWN.PDF

- 13. Second Public Comment (Maximum Of Three Minutes Per Person)
- 14. Discussion And General Information
- 15. Meeting Adjourned